

StingRay

メーカー在庫レンズリスト

(2021年8月18日時点の在庫情報)

製品詳細についてはお問い合わせください(office@irsystem.com)

- ※ メーカー在庫品のため、米国からの輸送期間がかかります。
- ※ 在庫状況は日々変動いたします。最新情報についてはお問い合わせください。
- ※ 先にご注文をいただいたお客様を優先しており、お取り置き等はできかねます。

BROADBAND

StingRay Part #	Focal Length	Waveband	Speed/F#	Image Dia.	Interface	Features
SR0955-A01	50mm	0.72-5 μ m	F/2.5	12.5mm	Bayonet	2, 21
SR2510-A01	200mm	0.72-5 μ m	F/2.3	16mm	Bayonet	2, 11, 21
SR1305-A01	100mm	0.72-5 μ m	F/2.5	12.5mm	Bayonet	2, 11, 21
SR1636-A01	25mm	1.5-5 μ m	F/4	26.1mm	Bayonet	2, 11, 21
SR1936-A01	50mm	1.5-5 μ m	F/2.3	21mm	Bayonet	2, 11, 21
SR2654-A01	25mm	3-12 μ m	F/2.0	21mm	Bayonet	2, 21

*Assuming 16mm horizontal FPA

Vis & SWIR

StingRay Part #	Focal Length	Waveband	Speed/F	Image	Interface	Features
SR3713-A01	13mm	0.9-1.7 μ m	F/1.4	12.3mm	c-mount	13, 14, 16, 21
SR3715-A01	25mm	0.9-1.7 μ m	F/1.8	21mm	c-mount	2, 21
SR2534-A01	25mm	0.48-2.5 μ m	F/1.3	12.3mm	c-mount	1, 2, 11, 12, 21, 23
SR2343-A01	25mm	0.9-1.7 μ m	F/1.4	21mm	c-mount	1, 2, 11, 12, 21
SR2594-A01	50mm	0.7-2.5 μ m	F/1.3	24mm	c-mount	1, 2, 11, 21
SR1820-A01	75mm	0.7-1.7 μ m	F/1.4	21mm	M42x1mm	1, 2, 11, 12, 21
SR2313-A01	100mm	0.45-1.7 μ m	F/1.5	21mm	c-mount	1, 2, 21
SR3529-A01	50mm	0.45-1.7 μ m	F/1.4	21mm	c-mount	11, 13, 14, 21
SR4042-A01	500mm	0.4-1.9 μ m	F/8	16.6mm	c-mount	

お問い合わせ先

 株式会社アイ・アール・システム

赤外カメラ営業担当 Email office@irsystem.com / TEL 042-400-0373

MWIR

StingRay Part #	Focal Length	Waveband	Speed/F#	Image Dia.	Interface	Features
SR1832-A01	25mm	3.4-3.7 μ m	F/1.5	20mm	Bayonet	2, 21
SR0786-A01	25mm	3-5 μ m	F/2.3	21mm	Bayonet	2, 21
SR2782-A01	13mm	3-5 μ m	F/2.3	21mm	Bayonet	2, 21
SR0808-A01	50mm	3-5 μ m	F/2.3	21mm	Bayonet	2, 11, 21
SR0809-A01	100mm	3-5 μ m	F/2.3	21mm	Bayonet	2, 11, 21
SR2402-A01	200mm	3-5 μ m	F/2.3	21mm	Bayonet	2, 11, 21
SR3562-A01	180° HFOV	3-5 μ m	F/2.3	12.8mm	Bayonet	2, 11, 18, 21
SR2667-A01	25mm	3.4-4.8 μ m	F/3.25	10mm	c-mount	13, 15, 16
SR2668-A01	50mm	3.4-4.8 μ m	F/3.25	10mm	c-mount	13, 15, 16
SR2669-A01	100mm	3.4-4.8 μ m	F/3.25	10mm	c-mount	13, 15, 16

MWIR Zoom

StingRay Part #	Focal Length	Waveband	Speed/F#	Image Dia.	Interface	Features
SR3330-A01	30-300mm	3-5 μ m	F/4	19.7mm	Custom	5, 6, 8, 9, 16
SR3884-A01	18-430mm	3-5 μ m	F/5.5	12.3mm	Custom	5, 6, 8, 9, 16
SR3822-A01	33-660mm	3.4-5 μ m	F/4	16.4mm		

LWIR (cooled)

StingRay Part #	Focal Length	Waveband	Speed/F#	Image Dia.	Interface	Features
SR0350-A01	25mm	8-12 μ m	F/2.0	21mm	M80 Thread	2, 21
SR4412-A01	200mm	8-12 μ m	F/2.0	21mm	Bayonet	
SR1924-A01	100mm	8-12 μ m	F/2.0	21mm	Bayonet	2, 11, 21
SR1814-A01	50mm	8-12 μ m	F/2.0	21mm	Bayonet	2, 11, 21
SR0610-A01	200mm	8-12 μ m	F/2.0	21mm	M80	2, 21
SR3561-A01	180° HFOV	8-12 μ m	F/2.0	21mm	Bayonet	2, 11, 18, 21

**NOTE: All FOV calculations based on corresponding image diameter.

BOLD: In production and lead-times may vary.

Please note that there are a number of adapters and filter mounts available for purchase along with our standard lens offerings. In the event that there is not an existing adapter available, StingRay can create a custom piece to match your specifications.

Features

1. Manual Iris	7. Motorized Filter Wheel	13. Fixed Focus	19. Macro
2. Manual Focus	8. Active Athermalization	14. Fixed Aperture	20. Fully Closed Iris
3. Manual FOV	9. Controller Board	15. Passive Athermalization	21. Focus Lock
4. Motorized Iris	10. Base Plate	16. Ruggedized	22. Catadioptric
5. Motorized Focus	11. Filter Holders	17. DLC Coating	23. Telecentric
6. Motorized FOV	12. Adapters Available	18. Fisheye Style	

お問い合わせ先

 株式会社アイ・アール・システム

赤外カメラ営業担当 Email office@irsystem.com / TEL 042-400-0373